

AIR RESOURCES - REGIONAL PROJECT325 WEST SECOND STREET
DAYTON, OHIO 45402TELEPHONE 224-9114
EXTENSION 7118

May 3, 1970

167674
0000009

**MONTGOMERY COUNTY DISTRICT
HEALTH DEPARTMENT**
ROBERT A. VOGEL, M. D.
HEALTH COMMISSIONER

Mr. Alcine Grillo
1975 Springboro Pike
Dayton, Ohio

Re South Dayton Dump

Dear Mr. Grillo:

As you recently requested, permission is hereby granted to burn certain materials at the South Dayton Dump and Land-fill under the following conditions:

- (a). Only waste lumber and tree trimmings are to be burned.
- (b). Burning must be confined to an area separate from the operating fill area.
- (c). Burning must be completed between the hours of 10:00 a.m. and 4:00 p.m. and only when wind is of sufficient velocity and proper direction to minimize the effect of smoke emissions on nearby residences and businesses.

Permission to burn is granted until Friday, May 15, 1970. After that date open burning throughout Montgomery County will be permitted only after submission of written application to this office for a formal permit. All applications must be accompanied by a money order, certified check - made out to the Montgomery County Health Department, or cash in the proper amount, depending upon the requested duration of the permit. The fee for a permit is five dollars (\$5.00) for a permit up to six consecutive days (no burning is permitted on Sunday), and five dollars (\$5.00) per week for a permit extending beyond one week.

If you have any questions concerning this matter, please do not hesitate to call me.

Sincerely,

DAVID B. PEDEN, R.S., M.P.H.,
Project Director

By William M. Auberle, Supervisor
Air Pollution Control Section

MONTGOMERY COUNTY, OHIO

WMA/cjf

cc: John H. Bindeman
Montgomery County Health Department

**MONTGOMERY COUNTY
COMMISSIONERS**
PAUL STOCKERT,
ADMINISTRATOR

CITY OF DAYTON
GRAHAM WATT,
CITY MANAGER

**MIAMI VALLEY REGIONAL
PLANNING COMMISSION**
DALE BERTSCH,
EXECUTIVE DIRECTOR

DAVID B. PEDEN, R. S.,
PROJECT DIRECTOR
TELEPHONE 224-9114
EXTENSION 7118